

Interrogation Rooms

By Covert Systems. LLC



Visit our web site for more information WWW.COVERT-SYSTEMS.COM

Covert Systems, LLC

12305 E. Triple T Ln Prescott Valley, AZ 86314 928-759-2121 Fax 928-759-2144

SALES INFORMATION & SPECIFICATIONS



Covert-Systems.com

by Ross Associates

Date: 7/08 - Restrictions: None

**Interrogation
Room
DVD Recording
System-3**

Digital Interrogation Room Recording System

MODEL # INT-DIGDVD-3



Save old tapes on DVD

System Includes:

DVD & VCR Recorder Dual Deck Unit,
Digital Audio Recorder with memory card,
PIR-C-20 Color Camera, Stereo Microphone
System, 50' of cable, Cabinet, 1 Video Output,
PowerStrip.

Complete Kit **\$3,895.00**

Specifications:

Recorder:	KSR-40V/PMD560
Camera:	PIRC-20 Color
Power:	115 Vac
Recording Time:	60 to 360 Min.
Recording Media:	DVD-VCR
Copy Feature:	Both ways
Video/Audio Inputs:	2
Microphone (Stereo):	Whisper II

No Hard Drives for Def. Attorney to subpoena

Options:

Picture-in-Picture (2 Cameras) \$1195
14" Color Monitor with audio \$450
Distribution Amplifier (4 Outputs) \$250
DVD Duplicator \$595 (Recommended)
Transcription Software \$250
Dome Camera with controller \$1695

Features:

- DVD Video Recording
- Direct recording to DVD
- 30 FPS Video Recording
- 4 Hours of Video Recording
- Stereo Audio Recording
- Recorder Date/Time on screen display
- Safe - **No editing Features**



Date/Time Group
+ Dept. Name



Camera, Microphone,
& Cable Kit

Description:

This is the latest in interrogation room recording systems using the new DVD technology and standard audio tape recording. Video recording time is controlled by the resolution desired. Normally 4 hour (LP) mode is used so that it can be played back on any progressive scan DVD recorder.

This new system also includes a VCR recorder for coping to DVD disks or Coping from tape to DVD.

It is safe, no editing features are available. A date-time generator is included and imprinted on every frame for positive authenticity.

The independent DVD duplicator is recommended. However, they can be duplicated on a standard DVD computer burner. The duplicator is quick and easy. An optional distribution amplifier is used to send the audio and video to a video server and more than one office at the time of the interrogation. Now a Dome IP Camera is available for \$1095.00.



SALES INFORMATION & SPECIFICATIONS

Covert-Systems, LLC

Law Enforcement Products

Date: 7/08 - Restrictions: None

**Interrogation
Room
DVD Recording
System-4**

Digital Interrogation Room Recording System

MODEL # INT-DIGDVD-4



\$2,895.00

Features:

- DVD Video Recording
- Records Direct to DVD
- 30 FPS Video Recording
- 4 hours of Video Recording
- Stereo Audio Recording
- Date/Time on screen display
- Safe - **No editing Features**

System Includes:

DVD & VCR Recorder Dual Deck Unit,
Stereo Microphone System, 50' of cable, Cabinet,
1 Video Output, Power Strip & PIR-C20 Camera.

Complete Kit



**Date/Time Group
+ Department Name
is Standard**

Specifications:

Recorder:	KSR-40V
Camera:	PIRC-20 Color
Power:	115 Vac
Recording Time:	60 to 360 Min.
Recording Media:	DVD-VCR
Copy Feature:	Both ways
Video/Audio Inputs:	2

Options:

Picture-in-Picture (2 Cameras) \$1,195
 15" Color Monitor with audio \$495
 Distribution Amplifier (4 Outputs) \$250
 DVD Duplicator \$595 (Recommended)
 Video Server module \$595

Description:

This is the latest in interrogation room recording systems using the new DVD technology. Video recording time is controlled by the resolution desired. Normally 4 hour (LP) mode is used so that it can be played back on any progressive scan DVD recorder. This new system also includes a VCR recorder for coping to DVD disks or Coping from tape to DVD. It is safe, no editing features are available. A date-time generator is included and imprinted on every frame for positive authenticity.

No hard drives for Def. Attorneys to subpoena.

The independent DVD duplicator is recommended. However, they can be duplicated on a standard DVD computer burner. The duplicator is quick and easy. An optional distribution amplifier is used to send the audio and video to more than one office or video server for back up at the time of the interrogation.

Visit our website www.covert-systems.com

12305 E. Triple T Ln Prescott Valley, AZ 86314 - 928-759-2121 Fax 928-759-2144• Email: sales@covert-systems.com

SALES INFORMATION & SPECIFICATIONS



Covert-Systems.com

by Ross Associates

Date: 7/08 - Restrictions: None

**Interrogation
Room
DVD Recording
System-5**

Digital Interrogation Room Recording System

MODEL # INT-DIG-DVD-5



Features:

- DVD Video Recording
- 40 GB HD Back up
- Complete System (Ready to go)
- 4 Hours of Video Recording
- Stereo Audio Recording
- Date/Time on screen display
- Safe

System Includes:

DVD/HD Recorder Unit, Stereo Microphone System, 50'x2 of cable, Cabinet, 1 Video Output, Power Strip & PIR-C20 Camera.

\$3620.00



**Date/Time Group
+ Department Name
(Standard)**

Specifications:

Recorder:	KSR-600U
Camera:	PIRC-20 Color
Power:	115 Vac
Recording Time:	4 Hours+
Recording Media:	DVD
Compression:	Mpeg 2
Video/Audio Inputs:	2
Microphone:	Stereo - Whisper II
Aux. Video input:	Camcorder input
Mini DV Cassette Deck	

Options:

Picture-in-Picture (2 Cameras) \$1195
15" Color Monitor with audio \$495
Distribution Amplifier (4 Outputs) \$250
DVD Duplicator \$595 (Recommended)
Dome Camera with Controller \$1695 (In place of PIP camera) IP Dome Camera \$1025.00

Description:

This is the latest in interrogation room recording systems using the new DVD technology. The video recording time is controlled by the resolution desired. Normally 4 hour (LP) mode is used so that it can be played back on any progressive scan DVD recorder. This new system also includes a hard drive for back up just in case the DVD data is lost. A date-time generator is included and imprinted on each & every frame for positive authenticity. The independent DVD duplicator is recommended. However, they can be duplicated on a standard DVD computer burner. The duplicator is quick and easy. An optional distribution amplifier is used to send the audio and video to more than one office at the time of the interrogation. The new IP camera can be inserted into your network for full viewing and control.



DVD Duplicator

The Quic Disc is a low-cost, high-performance oriented one to one DVD/ CD Recordable duplication system from Microboards Technology, LLC. With its user friendly one button operation, sleek desktop footprint, and office environment aesthetics, the QD-DVD is perfect for any user requiring easy copying and backup of data onto DVD media.

Superior technology allows the Quic Disc to ship without a hard drive; duplication of DVDs is done on the fly. The LCD display provides the user with status of the duplication process and allows access to advanced menu features of the system. Current high speed DVD Recordable technology is supported at 16X, while CD recording is at 48X. Applications suited for the QD-DVD include Multimedia, Software Development, Medical Imaging, and Data Interchange.

Optional Componets



KSM-15C LCD Color Monitor with audio

The KSM-10 is used to display the video and audio while the interrogation is in progress. The new LCD monitors come in sizes from 15" to 32" and have computer & video inputs. They also have dual power inputs of 12Vdc & 115 Vac

KSM-15C Monitor \$495.00

KSM-17C Monitor \$525.00

KSM-19C Monitor \$745.00

KSM-32C Monitor \$1495.00



KSM-CATV RF Distribution Module

This module allows the signal from the interrogation room monitor to be passed to your CATV network by placing it on a channel that is not being used. Up to 4 channels (Cameras) maybe programmed into this module.

KSM-CATV \$595.00



KSP-PIP

This optional module allows viewing of two cameras at the same time and saving the image on the video tape or CD. This option is popular for those who desire to get a close up view to the suspect during interrogation. Unit passes color with ease.

KSP-PIP \$595



Whisper II \$495.00

The new Whisper II (whisper mic) is ideal for those situations where maximum noise immunity is required. It operates on external power from 6 to 15 volts and has full internal filtering and regulation. The single channel unit is only 1½ x ¾ x ½ inch. Various size boxes are available on special order. The all metal construction allows for use of our unique locking input connector and provides excellent noise immunity. Two microphones are supplied with RCA type output jacks. For interrogation room applications we suggest using our dual coax cable for ease of installation. Mic cables are 10' long.



Whisper Microphone - 1 Mono

The Whisper microphone is a low noise, very sensitive microphone that operates from 9 to 12 Vdc. The out put is at line level and covers the full audio range. It is supplied with all standard interrogation rooms.

Whisper Microphone \$250.00



DA-1 Distribution Amplifier

The distribution amplifier allows the video and audio to be sent to other offices at standard video and audio line levels. This unit has one video/ audio input and 4 separate outputs.

DA-1 \$250.00



The MicroEar system consists of a very small audio receiver that fits directly into the ear of the interrogator. During the interview, other officers may forward questions to the interrogator covertly, and at the proper time the questions are presented to the suspect. A great way to increase your effectiveness during interrogations. Systems includes: Transmitter, belt receiver, inductive loop, ear receiver & charger

Price: \$795.00



KSC-BW-1 Break Window Detector Camera

This unit can be used in many applications for surveillance or interrogation room applications. Uses our standard high resolution color camera.

KSC-BW-1 \$450.00



KSC-46C Thermostat Camera

This is another approach to hiding a camera in a thermostat used in many buildings. Again our high resolution color cameras are used.

KSC-46C \$450.00



KSC-1248 AC Outlet Camera with a switch

This is a variation of the standard AC outlet camera, but with a switch added. Incorporates our high resolution color camera.

KSC-1248AC \$560.00

Cameras



PIRC-20C Color Camera

This camera is shipped with all systems. It is a high resolution color camera with a field of view of 89 degrees. This camera is our work horse in interrogation rooms and jails. The specifications are: 12Vdc operation; 1 lux sensitivity; auto white balance; 500+ lines of resolution, and comes complete with power supply.

PIRC-20C \$450.00



Our new KSC-1247 AC outlet covert camera is the latest in high tech design. The camera looks out through the ground lug hole in the middle of the plate. The bottom hole serves as a mount place for the microphone. For standard operations, the outlet is mounted about 4.5' from the floor. A 1/4 watt video transmitter may also be mounted to the outlet. Add \$250 for audio. Video Transmitter \$2395

KSC-1247 \$560.00



This new covert camera has lots of possibilities; interrogation rooms, hotel rooms, and office operations. This unit comes with color or B/W cameras, and may also be fitted with a small 1/4 watt video transmitter. Built-in microphone. Color is a high resolution camera.

Our B/W model KSC-45B/W for \$350. Color \$450.00



Our new Smoke Detector line of covert cameras are available. This comes in two configurations. First the camera can look straight down, like looking at a cash drawer or one that can look out a 45 degrees. Please specify the angle of the camera when ordering.

Our B/W Model KSC-10B/W \$350. Color \$450.



KSCC-1 Phone outlet Camera

This is the latest covert camera design to be used in interrogation rooms. Fitted with an 8 to 16 mm lens, a suspect's face can be photographed with ease. This camera is to be placed across from the suspect in the wall at about head height. Please specify distance from wall to suspect.

KSCC-1 \$495



SALES INFORMATION & SPECIFICATIONS

Covert-Systems.com

by Ross Associates

Date: 8/03 - Restrictions: None

**Dome Camera
Kit
for
Interrogation
Room**

Interrogation Room Dome Camera Kit

MODEL # KSC-260INT



Shown without mounting ring

Features:

- 12 Vdc Operation
- 260 Zoom Lens
- Color Camera
- Full Pan & Tilt
- Controller Included
- 4.5" Diameter



PTZ Controller

\$1695.00

Specifications:

Image Sensor:	1/4" Sony
Resolution:	535 Lines
Optical Zoom:	26X
Digital Zoom:	12X
Pan Range:	360 Degrees
Tilt Range:	90 Degrees
Diameter:	4.5"
Motion Alarm:	3X
Controller:	Keyboard Type
PIP:	Included


Description:

This new approach to interrogation room techniques is another way of observing your suspect up close. Our system kit comes complete with dome camera, 50' cable, keyboard controller and instructions. This camera may be plugged into our standard model three with or without the PIP option. This camera is especially useful for children that want to move around the soft room while you are observing and asking questions. A must for those soft rooms.

Now! in IP format only \$1095.00 Software included
Just connect to your internal network


Visit our web site www.covert-systems.com

Typical Installation



Why?

Sound Absorbing Material
Our panels reduce the "Echo" effect in the room. Thus, reducing after interview tape costs of removing distortion. Just "snap" your fingers in your room, Does the sound echo back?




Sound Absorbant Material Available in **20 different colors**




Typical Interrogation Room Layouts




Two Camera System



Two Camera System



Interrogation Room Kit Diagram



Price List
Interrogation Rooms
1/08

<u>Description</u>	<u>Price</u>
Camera in a PIR detector -- PIRC-20/C	450.00
Color Camera, Smoke Detector KSC-800/C	560.00
Thermostate Color Camera KSC-46C	450.00
Standard sound absorbing material (Many colors)	41.00/yard
Consulting Service	85/Hr
Spectrum Analysis (Solve noise problems)	75/Hr
Whisper II Stereo Microphone System	495.00
Whisper I Microphone	250.00
Video Multiplexer, Color, 4 camera MV-85	1295.00
Picture-in-picture video mixer, Color	1195.00
15" Color monitor with audio KSM-15C	495.00
17" Color Monitor with audio KSM-17M	525.00
19" Color Monitor with audio KSM-19M	745.00
32" Color Monitor with audio KSM-32M	1495.00
Telco/microphone switch	125.00
Wall brackets for monitors	125.00
Installation	85.00/hr
Audio Talk Back System (Transmitter & Receiver) (MicroEar)	795.00
DVD Duplicator	595.00
Transcribing software and foot pedal	250.00
Dome Camera Kit with controller KSC-260INT	1695.00
Interrogation Room Kit DVD-4	2895.00
Interrogation Room Kit DVD-3	3895.00
Dome Camera, IP version	1095.00

12305 E. Triple T Ln Prescott Valley, AZ 86314 928-759-2121 Fax 928-759-2144 Email sales@covert-systems.com

See our data sheet for typical room layouts and equipment

Visit our web site at: www.covert-systems.com